



Beyond the Standard





X-STREAMLINE™

Tray Slides/Cutting Boards

Date: _____ Quantity: _____

Item #: _____

Project: _____



➤ **Solid tray slide** to be 14 gauge stainless steel with three inverted “V” ridges on surface. Ends and side turned down square with all corners fully welded, ground and polished. Support brackets to be adjustable 14 gauge stainless steel fold down type. Bracket to have the ability to be adjusted for ¼” in height and level.

➤ **Flat surface solid tray slide** to be 14 gauge stainless steel with ends and sides turned down square and all corners fully welded, ground and polished. Support brackets to be adjustable 14 gauge stainless steel fold down type. Bracket to have the ability to be adjusted for ¼” in height and level.

➤ **Quartz tray slide** on counter front is to be 12” wide by length required and fabricated from Quartz material. Quartz to be reinforced with ¾” plywood. Tray slides to have (3) ¾” x ¼” s/s runners stud bolted through tray slide. Verify mfg., color & design of Quartz. Support brackets to be adjustable 14 gauge stainless steel fold down type. Bracket to have the ability to be adjusted for ¼” in height and level.

- A** SOLID TRAY SLIDE - 16 GA. S/S W/ THREE (3) INVERTED RIBS (3/16" HIGH). MOUNT ON S/S FOLD-DOWN BRACKETS.
- B** SOLID TRAY SLIDE - 16 GA. S/S, FLAT SURFACE TYPE. TURN DOWN ENDS & SIDES WITH CORNERS WELDED & POLISHED. MOUNT ON S/S FOLD-DOWN BRACKETS.
- C** TUBULAR TRAY SLIDE - THREE (3) BAR TYPE - 1" O.D. S/S TUBING W/ CAPPED ENDS. MOUNT ON S/S FOLD-DOWN BRACKETS.






X-STREAMLINE™

Beyond the Standard

Tray Slides/Cutting Boards

Item #: _____



➤ **Plastic laminate tray slide** to be constructed with 3/4" thick plywood with 2" drop edge on all sides. Covered with standard grade laminate plastic. Three (3), 3/4" x 1/4", s/s runners stud bolted through tray slide. Verify mfg., color & design of laminate. Support brackets to be adjustable 14 gauge stainless steel fold down type. Bracket to have the ability to be adjusted for 1/4" in height and level.

➤ **Corian tray slide** on counter front is to be 12" wide by length required and fabricated from solid surface Corian. Corian to be reinforced with 3/4" plywood. Tray slides to have routed Corian runners and to be turned down square on both ends. Support brackets to be adjustable 14 gauge stainless steel fold down type. Bracket to have the ability to be adjusted for 1/4" in height and level.

➤ **Stainless steel top extension** (in lieu of tray slide) to be 14 gauge stainless steel top entire length of counter by width (_____).

➤ **Fold down plate shelf** shall be 14 gauge stainless steel, 8" wide with edges turned down square and all corners fully welded, ground and polished. Support brackets to be adjustable 14 gauge stainless steel fold down type. Bracket to have the ability to be adjusted for 1/4" in height and level.

➤ **Fold down cutting board** with Richlite material shall be 8" wide by 1" thick. Support brackets to be adjustable 14 gauge stainless steel fold down type. Bracket to have the ability to be adjusted for 1/4" in height and level.



Due to continuing product improvement, units and specifications are subject to change without notice.

(4/2008)